

### Trimmer RS134

Manufacturer	Gämmerler GmbH
Type	RS134
Serial number/year of manufacture	2018

### Performance

Power	80 (optional 100) m/min
Pagination <sup>1</sup>	4 – 96
Format untrimmed    A x B	min. 122 x 122 mm max. 530 x 530 mm
Format trimmed        A x B	
2-edge trim            A x B	min. 118 x 118 mm max. 526 x 526 mm
1-edge trim            A x B	min. 115 mm
Trim width <sup>2 3</sup>	min. 2 mm - max. 65 mm
Shingle thickness	max. 13 mm
Trimming system	shingle or single trim
Type of printed products	gravur and offset-printing (heatset and non-heatset)

### Main drive

Three-phase gear motor	1,5 kW - 1500U/min.
------------------------	---------------------

### Knife drive

Three-phase brake motor	3,0 kW – 3000U/min.
-------------------------	---------------------

The sound pressure level does not exceed 80 dB (A) corresponding to EN 13 023.

### Physical

Outer dimensions (Length x Width x Height)	1675 x 1528 x 1160 mm
Weight	1.100 kg
Knife diameter	250 mm
Segment blades	40 per knife

<sup>1</sup> depending on paperweight

<sup>2</sup> depending on paperweight

<sup>3</sup> depending on pagination

### Air consumption

Nominal pressure	6 bar
Consumption <sup>4</sup>	40 NI/min (@ 1 bar)

Air pressure quality according to DIN ISO 8573-1 of quality class 3.

### Electrical loads

Power	7,5 kW
Full load Amps.	25 A
Supply voltage <sup>5</sup>	400, 3~, N, PE V
Frequency	50 Hz

### Status

As new with warranty

### Pictures



<sup>4</sup> Additional air consumption per knife when cooling + 130NI/min

<sup>5</sup> others optional

## Price

On demand

---